Approved For Release 2002/05/06: CIA-RDP57-00384R000700070075-8

0.2.	VIA AIR MAIL	20 September 1949	
STATINTL			
		STATINTL	
STATINTL	Returned herewith are Invitation %c. CY-II and contractor's bill, covering contract w	itit tilter	
STATINTL	from	ment of equipment and supplies	
	The data was forwarded to this office with your memo of 11 April 1949 which requested advice as to whether the contractor was entitled to additional charges due to expenses incurred under circumstances purportedly beyond his control.		
	When effecting settlement with the the following should be taken into consider	STATINTL	
	With respect to the difficulty encountered in unloading a 10,000 gallon tank, which comprised part of the goods to be transferred, the weight of the tank is not given. Although the contractor appears to have been awars of the size and dimensions of the tank, the original contract calls for "transporting equipment and supplies packed in wooden became and crates". If the other material, exclusive of the tank, totaled the contractual amount of 25 tons 319 pounds, the additional charge for the use of the special truck would be justified. If the tank, however, were included in the 25 tons 319 lbs., it does not appear that the contractor had been put to any particular hardship but had simply made a bad guess on a business risk.		
	Apparently, some of the material crate (1) inadvertently withheld by the shipping (2) unloaded after all the trucks had been with their cargo. In this connection, unle or his representative contributed to either of the extra truck should be held to be the under the terms of the contract (25 tons 315 ton).	agent on the dock, or dismissed from the dock as the Contracting Officer of these factors, the use contractor's responsibility pounds at par	
	In the event any payment in excess of that originally agreed upon is made, such action must be adequately explained and a complete supporting statement, signed by the Contracting Officer, attached to the voucher.		

- 2 -

Should there he may further question with respect to the above, kindly advise.

Very truly yours,

	STATINTL
Chief, Piscal Branch	

25X1A

STATINTL

Claims

PPD